



**BUREAU  
VERITAS**

# TEST REPORT

LAB NO. : (2421)120-0122  
DATE : May 17, 2021  
PAGE : 1 OF 17

Applicant:  
**NINGBO JIHUI INSTRUMENT CO., LTD**  
42 SHUNKE ROAD, YANGMING STREE, YUYAO, ZHEJIANG, CHINA

Date of Submission: 2021-04-30  
Test Period: 2021-04-30 to 2021-05-17

Sample Description:	Astronomical telescope		
Sample Status :	Intact		
Manufacturer:	/	Buyer:	/
Style No.(s):	31035-DS	PO No.:	/
Country of Origin:	/	Country of Destination:	/

Test Item(s): Details see attached page(s).

## SUMMARY OF THE ASSESSMENT

ASSESSMENT Specification – WEEE Directive 2012/19/EU	
Product Category	<b>Large equipment</b>
*Test reuse and recycling rate (%) / Test recovery rate (%)	<b>100 / 100</b>
*Minimum reuse and recycling rate (%) / Minimum recovery rate (%)	<b>80 / 85</b>
<b>Conclusion: The submitted sample complies with the WEEE directive 2012/19/EU.</b>	

Note: With the client's prior consent ,the above \* was subcontracted test item.

### REMARK

If there are questions or concerns on this report, please contact the following persons:

Customer service

Ms. Una Zhang  
(0574) 87091260

una.zhang@bureauveritas.com

Analytical Lab Manager

Mr. Ben He  
(0574) 87091095

ben.he@bureauveritas.com



**BUREAU VERITAS TESTING TECHNICAL SERVICE (ZHEJIANG) CO.,LTD**

PREPARED BY : \_\_\_\_\_ MARY \_\_\_\_\_

\_\_\_\_\_ Ben He \_\_\_\_\_

**Bureau Veritas Testing Technical Service (Zhejiang) Co.,Ltd**  
1F west, 6F east, 7F east, 8F, Building B,  
No.66,Qingyi Road, Ningbo, Zhejiang, China  
Tel:86-574-87091333, Fax:86-574-87971038  
website:cps.bureauveritas.com

This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



**BUREAU  
VERITAS**

LAB NO. : (2421)120-0122  
DATE : May 17, 2021  
PAGE : 2 OF 17

**Photo of the Submitted Sample**



**24211200122**



## TEST RESULT

### 1. General Information:

#### 1.1 Assessment Method:

The sample was disassembled into small parts by using appropriate tools, similar materials of each part were grouped and weighed.

The recovery rate and recycling rate were calculated by the principle of best available technique for recovery, recycling and treatment provided by Cleanaway Dienstleistungs GmbH & Co KG. The disposal percentage is determined based on the European directive 2012/19/EU and 75/442/EEC.

**The material types of the parts are reference to the Bill of Material (BOM) provided by the client.**

**The uncertainty is introduced as to eliminate possible weighting error, rounding up error and other errors.**

**It is computed by the summation of all weighted parts subtracted from the total weight.**

#### 1.2 Disposal and Recovery stated in Waste 75/442/EEC Annex IIA & Annex IIB:

##### 1.2.1 Disposal Operations

- 1.2.1.1 Deposit into or onto land (e.g. landfill, etc.)
- 1.2.1.2 Land treatment (e.g. biodegradation of liquid or sludgy discards in soils, etc.)
- 1.2.1.3 **Deep injection (e.g. injection of pumpable discards into wells, salt domes or naturally occurring repositories, etc.)**
- 1.2.1.4 Surface impoundment (e.g. placement of liquid or sludgy discards into pits, ponds or lagoons, etc.)
- 1.2.1.5 Specially engineered landfill (e.g. placement into lined discrete cells which are capped and isolated from one another and the environment, etc.)
- 1.2.1.6 Release into a water body except seas/oceans
- 1.2.1.7 Release into seas/oceans including sea-bed insertion
- 1.2.1.8 Biological treatment not specified elsewhere in the Annex which results in final compounds or mixtures which are discarded by means of any of the operations numbered 1.2.1.1 to D 1.2.1.12
- 1.2.1.9 Physico-chemical treatment not specified elsewhere in the Annex which results in final compounds or mixtures which are discarded by means of any of the operations numbered 1.2.1.1 to 1.2.1.12 (e.g. evaporation, drying, calcination, etc.)
- 1.2.1.10 Incineration on land
- 1.2.1.11 Incineration at sea
- 1.2.1.12 Permanent storage (e.g. emplacement of containers in a mine, etc.)
- 1.2.1.13 Blending or mixing prior to submission to any of the operations numbered 1.2.1.1 to 1.2.1.12
- 1.2.1.14 Repackaging prior to submission to any of the operations numbered 1.2.1.1 to 1.2.1.13
- 1.2.1.15 Storage pending any of the operations numbered 1.2.1.1 to 1.2.1.14 (excluding temporary storage, pending collection, on the site where it is produced)



### 1.2.2 Recovery Operations

- 1.2.2.1. Use principally as a fuel or other means to generate energy
- 1.2.2.2. Solvent reclamation/regeneration
- 1.2.2.3. Recycling/reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes)
- 1.2.2.4. Recycling/reclamation of metals and metal compounds
- 1.2.2.5. Recycling/reclamation of other inorganic materials
- 1.2.2.6. Regeneration of acids or bases
- 1.2.2.7. Recovery of components used for pollution abatement
- 1.2.2.8. Recovery of components from catalysts
- 1.2.2.9. Oil re-refining or other reuses of oil
- 1.2.2.10. Land treatment resulting in benefit to agriculture or ecological improvement
- 1.2.2.11. Use of wastes obtained from any of the operations numbered 1.2.2.1 to 1.2.2.10
- 1.2.2.12. Exchange of wastes for submission to any of the operations numbered 1.2.2.1 to 1.2.2.11
- 1.2.2.13. Storage of wastes pending any of the operations numbered 1.2.2.1 to 1.2.2.12 (excluding temporary storage, pending collection, on the site where it is produced)

## 1.3 Recycling and Reuse stated in WEEE, Article 3

### 1.3.1 Recycling Operation

**“Recycling” means the reprocessing in a production process of the waste materials for the original purpose or for other purposes, but excluding energy recovery which means the use of combustible waste as a means of generating energy through direct incineration with or without other waste but with recovery of the heat.**

### 1.3.2 Reuse Operation

**“Reuse” means any operation by which WEEE or components thereof are used for the same purpose for which they were conceived, including the continued use of the equipment or components thereof which are returned to collection points, distributors, recyclers or manufacturers.**

## 1.4 Categories of EEE stated in WEEE Annex I:

- 1.4.1. Temperature exchange equipment
- 1.4.2. Screen, monitors, and equipment screens having a surface greater than 100 cm<sup>2</sup>
- 1.4.3. Lamps
- 1.4.4. Large equipment (any external dimension more than 50 cm)
- 1.4.5. Small equipment (no external dimension more than 50 cm)
- 1.4.6. Small IT and telecommunication equipment (no external dimension more than 50 cm)



### **1.5 List of Abbreviations**

Unless specified, the following abbreviations are used through out this assessment report:

IT: Information technology

WEEE: DIRECTIVE 2012/19/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on waste electrical and electronic equipment (WEEE) (recast)

RoHS: DIRECTIVE 2011/65/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (recast)

EEE: Electrical and Electronic Equipment defined under 2012/19/EU, WEEE

PC: Polycarbonate

LED: Light Emitting Device

PCB: Printed Circuit Board

PES: Polyester

IC: Integrated Circuit

NA: Not Applicable

### **1.6 Selective treatment for materials and components of waste electrical and electronic equipment in accordance with WEEE, Article 6 (1), Treatment**

**As a minimum the following substances, preparations and components have to be removed from any separately collected WEEE:**

- 1.6.1. Polychlorinated biphenyls (PCB) containing capacitors in accordance with Council Directive 96/59/EC of 16 September 1996 on the disposal of polychlorinated biphenyls and polychlorinated terphenyls (PCB/PCT) (1),
- 1.6.2. Mercury containing components, such as switches or backlighting lamps,
- 1.6.3. Batteries,
- 1.6.4. Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimetres,
- 1.6.5. Toner cartridges, liquid and pasty, as well as colour toner,
- 1.6.6. Plastic containing brominated flame retardants,
- 1.6.7. Asbestos waste and components which contain asbestos,
- 1.6.8. Cathode ray tubes,
- 1.6.9. Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC), hydrocarbons (HC),



- 1.6.10. Gas discharge lamps,
- 1.6.11. Liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimeters and all those back-lighted with gas discharge lamps,
- 1.6.12. External electric cables,
- 1.6.13. Components containing refractory ceramic fibres as described in Commission Directive 97/69/EC of 5 December 1997 adapting to technical progress Council Directive 67/548/EEC relating to the classification, packaging and labelling of dangerous substances (2),
- 1.6.14. Components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionising radiation (3),
- 1.6.15. Electrolyte capacitors containing substances of concern (height > 25 mm, diameter > 25 mm or proportionately similar volume)

These substances, preparations and components shall be disposed of or recovered in compliance with Article 4 of Council Directive 75/442/EEC.

1.6.2 The following components of WEEE that is separately collected have to be treated as indicated:

- 1.6.2.1 Cathode ray tubes: The fluorescent coating has to be removed,
- 1.6.2.2 Equipment containing gases that are ozone depleting or have a global warming potential (GWP) above 15, such as those contained in foams and refrigeration circuits: the gases must be properly extracted and properly treated. Ozone-depleting gases must be treated in accordance with Regulation (EC) No 2037/2000 of the European Parliament and of the Council of 29 June 2000 on substances that deplete the ozone layer (4).
- 1.6.2.3 Gas discharge lamps: The mercury shall be removed.



## 2. ASSESSMENT SUMMARY


### 2.1 Assessment Summary Table

No.	Description of the sub-assessable	Weight (g)	Weight (%)	Reuse	Recycling	Energy Recovery	Disposal
1	Silvery metal with grey coating	906	11.3		X		
2	Silvery metal with grey coating	3838	47.7		X		
3	Silvery metal	1623	20.2		X		
4	Grey plastic	964	12.0		X		
5	Black plastic	218	2.7		X		
6	Transparent plastic	7	0.1			X	
7	Translucent plastic	7	0.1		X		X
8	Black plastic	9	0.1			X	
9	Transparent glass	151	1.9		X		
10	Silvery metal with orange plating	103	1.3		X		
11	Black plastic	3	0.0		X		X
12	White plastic with silvery coating	20	0.2		X		
13	Silvery plastic	15	0.2			X	
14	Colorful paper	134	1.7		X		
15	Silvery metal with black plating	42	0.5		X		
<b>Total</b>		<b>8040.00</b>	<b>100.0</b>				
Total disassembly time (min)		30					
Disassembly tools		Screwdriver, Pliers					

### 2.2 Conclusion

Product Category Large equipment		
	Actual (%)	Request (%)
Reuse and recycling rate	100	80
Recovery rate	100	85

### 2.3 Recommended Disassembly Sequence





### 3. Assessment Results of the sub-assembly

#### 3.1 Individual Part 1

1



2



3



4



5



Assessed part	Part No.	Material	Weight (g)	Weight (%)	Reuse	Recycling	Energy Recovery	Disposal
1 Silvery metal with grey coating		Metal	906	11.3		X		
2 Silvery metal with grey coating		Metal	3838	47.7		X		
3 Silvery metal		Metal	1623	20.2		X		
4 Grey plastic		Known plastic	964	12.0		X		
5 Black plastic		Known plastic	218	2.7		X		

3.1 Individual Part 1

6



7



8



9



10



Assessed part	Part No.	Material	Weight (g)	Weight (%)	Reuse	Recycling	Energy Recovery	Disposal
6	Transparent plastic	Rubber	7	0.1			X	
7	Translucent plastic	PVC	7	0.1		X		X
8	Black plastic	Rubber	9	0.1			X	
9	Transparent glass	Glass without HS	151	1.9		X		
10	Silvery metal with orange plating	Metal	103	1.3		X		

### 3.1 Individual Part 1

11



12



13



14



15



Assessed part	Part No.	Material	Weight (g)	Weight (%)	Reuse	Recycling	Energy Recovery	Disposal
11 Black plastic		PVC	3	0.0		X		X
12 White plastic with silvery coating		Known plastic	20	0.2		X		
13 Silvery plastic		Unknown plastic	15	0.2			X	
14 Colorful paper		Paper	134	1.7		X		
15 Silvery metal with black plating		Metal	42	0.5		X		
<b>Total</b>			8040.00	100.0	0.0%	99.5%	0.4%	0.1%

<b>Disassembly Time (min)</b>	30	<b>Disassembly Tools</b>	Screwdriver Pliers
-------------------------------	----	--------------------------	-----------------------



## 4. Appendix

### 4.1 Bill of Material

子项物料编码	物料名称	材质
1.01.01.0049	31035 Astromaster 76EQ	0
5.01.03.0195	BD111-1 #31035 主件内盒	0
2.01.0388	CELESTRON 10 目镜	0
3.01.01.0092	1B 目镜	0
3.03.01.0531	目镜镜筒-B (铝双色氧化)	H62
3.03.01.0165	MA 目镜眼罩	橡胶
3.03.01.0575	MA10 目镜座(MJ30-1-5S)CELE10	ABS
3.03.01.0067	K10 目镜压圈	ABS
3.03.01.0106	目镜盒-D	0
3.01.01.0091	1B 场镜	0
3.03.01.0787	1B 目镜隔圈	LD30
3.03.01.0062	1.25 目镜盒盖-D	软聚录乙烯
2.01.0403	MA20 正像目镜 (MJ82)	0
3.03.01.0054	MA20 目镜压圈	ABS
3.01.01.0056	MA20 目镜 01/02	0
4.02.0108	O 型密封圈 22*1	橡胶
5.01.03.0620	150*90mm 袋	0
3.03.01.0259	PLANE-D01-3 压圈	0
3.03.01.0373	MJ82-2 MA20 正像目镜光栏	ABS
3.03.01.0165	MA 目镜眼罩	橡胶
3.01.01.0057	MA20 目镜 03	ZK7
3.01.01.0094	半五角棱镜(合格品)	K9
3.03.01.0790	1B 棱镜座	ABS
3.03.01.0791	1B 棱镜压圈	ABS
3.03.01.0056	MA20 目镜隔圈	ABS
3.03.01.0416	MA20 正像目镜座 (CELESTRON)	ABS
3.03.01.0186	防尘盖 (一)	0
3.01.01.0093	屋脊棱镜(合格品)	K9
3.03.01.0771	WS821 II 棱镜隔板	0
3.06.01.0175	CELESTRON 插页	0
5.01.02.0032	197# 卡通箱	0
5.01.03.0217	BD111-3 #31035 主件隔档	0
3.06.01.0182	CELESTRON 基础版本下载卡	0
5.01.03.0661	1300*680mm 尼龙套	0
2.01.0915	JB025 脚架 (CG2)	0



**BUREAU  
VERITAS**

LAB NO. :  
DATE :  
PAGE :

(2421)120-0122  
May 17, 2021  
13 OF 17

3.05.01.0501	JB025-14 接头 (褐色)	ABS
3.05.01.0495	JB025-2 管接套筒 (褐色)	ABS
3.05.01.0497	JB025-6 支架脚 (褐色)	ABS
3.05.01.0405	TB014-01-2 垫圈	0
3.05.01.0074	TB025-1 CG2 三角底座 (褐色)	ZL102
3.05.01.0458	JB025-7 外管衬圈	ABS
4.01.0433	M4 六角锁紧螺母 (镀镍)	0
3.05.01.0496	JB025-5 连接套筒 (褐色)	ABS
4.01.0471	∅ 3.2*9 封闭型扁圆头抽芯铆钉 (铝)	0
4.01.0441	GB70-85 M6X45 螺栓 (镀镍)	0
4.01.0442	M6 六角螺母 (镀镍)	0
5.01.03.0639	1000*370 彩袋	0
4.01.0470	∅ 3.2*7 封闭型扁圆头抽芯铆钉 (铝)	0
4.01.0443	GB818-85 M4*14 螺栓 (镀镍)	0
3.05.01.0499	JB025-12 连杆 (褐色)	ABS
3.05.01.0018	JB025-4 内管	不锈钢 202
3.05.01.0498	JB025-11 零件盘 (褐色)	ABS
3.05.01.0502	TB014-01-3 拼紧手轮 (褐色)	ABS
4.01.0444	GB818-85 M4*25 螺栓 (镀镍)	0
3.05.01.0500	JB025-13 外管套圈 (褐色)	PA66
3.05.01.0459	JB025-8 衬块	08F
3.05.01.0015	JB025-3 外管	不锈钢 202
3.05.01.0494	GOTO 脚架锁紧手轮 (褐色)	ABS
3.06.01.0183	CELESTRON 基础版本下载卡编码	0
5.01.03.1319	21045 配重块珍珠棉/BD084-6	0
3.06.01.0176	CELESTRON 红点升级版说明书	0
5.01.03.0085	21045 配重块盒	0
5.01.03.0094	21085 附件盒	0
3.06.01.0052	AstroMaster 76/114/130 EQ 四国语言快速 安装说明书	0
3.04.01.0014	CG3 平衡锤 (深褐色沙面塑)	0
3.06.01.0217	AstroMaster EQ 系列通用英文说明书	0
5.01.03.0123	A#CB3 (附件盒)	0
5.01.03.0662	345*230mm 封口袋	0
3.04.01.0237	8V 软轴	0
3.06.01.0027	CELESTRON UK 注册卡	0
3.06.01.0040	CELESTRON 四国语言说明书光盘	0
2.01.0821	CG2 托架	0
4.01.0266	M3*3.4 内六角平端紧定螺钉 (黑)	0
4.01.0265	M2.5*4 十字槽盘头螺钉 (镀铬)	0



**BUREAU  
VERITAS**

LAB NO. :  
DATE :  
PAGE :

(2421)120-0122  
May 17, 2021  
14 OF 17

3.04.01.0026	675 蜗轮 (橘色氧化)	ZZnAl4-1
3.04.01.0135	制紧螺钉 (铁)	45#钢
3.04.01.0111	调节罗套	HPB59-1
3.04.01.0126	下指针	08F
4.01.0263	M10 六角锁紧螺母 (镍)	0
3.04.01.0132	支紧螺钉扳手	45#钢
3.04.01.0116	罗套	45#钢
3.04.01.0133	支轴螺钉	45#钢
3.04.01.0117	球罗母	HPB59-1
3.04.01.1070	675 转座-B (褐色)	ZL102
3.04.01.0112	调节螺杆	45#钢
3.04.01.0109	垫圈 (四)	PVC
3.04.01.0128	橡胶垫圈	橡胶
3.04.01.0121	托架螺杆 (铁)	45#钢
3.04.01.0119	上轴	45#钢
3.02.01.0758	TB025-4 CG2 锁紧螺钉	ABS
3.04.01.0118	上指针	A3
3.04.01.0115	刻度板垫圈 (24X13X2.5)	A3
3.04.01.0106	弹簧导套	45#钢
4.01.0260	∅ 5 垫圈	0
3.04.01.0030	TB09-6A 蜗轮座盖板	ABS
3.02.01.0809	M5*25 固定螺钉 (镀铬)	0
3.04.01.1073	675 蜗轮座-B (褐色)	ZL102
5.01.03.0618	115*85mm 袋	0
3.04.01.0153	蜗轮垫片	PVC
3.04.01.0107	弹簧座套	45#钢
3.04.01.1075	TB025-2 CG2 托座 (褐色)	ZL102
3.04.01.0130	压缩弹簧	65Mn
4.01.0267	M5*10 内六角圆柱头螺钉 (镀铬)	0
3.04.01.1074	TB025-3 CG2 微动摆套 (褐色)	ZL102
3.04.01.0125	蜗轮指针	08F
4.01.0264	∅ 2*6 半圆头铆钉/铁	0
3.04.01.0724	蜗杆	45#钢
3.04.01.0122	托架螺杆扳手 (铁)	0
4.01.0268	M5*12 六角螺栓 (镀铬)	0
5.01.03.0644	675 托架袋 (大发泡)	0
3.04.01.0230	垫圈 (五)	0
3.04.01.0124	蜗轮分划盘	L4
3.04.01.0123	蜗杆垫圈	尼龙
3.02.01.0789	TB025-4A CG2 锁紧螺钉 A	ABS



3.04.01.1072	675 直角座 (褐色)	ZL102
2.01.1438	675 蜗杆座 CG2 (褐色)	ZL102
3.04.01.0725	675 蜗杆座	ZL102
3.04.01.0127	橡胶衬套	橡胶
3.04.01.0120	上轴分划盘	L4
3.04.01.0114	刻度板-B	L4
3.04.01.0137	中轴	45#钢
3.04.01.0108	垫圈(二)	PVC
4.01.0258	∅10 垫圈(薄)	0
4.01.0287	∅12 平垫圈 (A级)	0
3.04.01.0723	配重杆	35#
5.01.03.0216	A#CB6 (AB 瓦楞) 托架盒	0
5.01.03.0657	900*600mm 大泡纸	0
5.01.03.0128	3TRB 小方块	0
5.01.01.0060	#31035 彩盒	0
2.01.0031	红点寻星镜	0
3.03.01.0181	40MM 段线(黑色)	0
3.03.01.0182	75MM 段线(黑色)	0
3.03.01.0137	二极管压块	ABS
3.03.01.0143	红点固定片(二)	ABS
3.03.01.0061	红点镜筒	ABS
4.01.0004	M4*28 十字槽圆柱头螺钉/发黑	0
3.03.01.0180	红点光栏	0
3.03.01.0196	红点绝缘片	0
3.03.01.0142	红点固定片(一)	ABS
4.01.0017	M1.7*4 十字槽盘头螺钉(镀四氟)	0
3.03.01.0060	红点镜筒座	ABS
3.03.01.0178	红点电池触片(一)	黄铜皮
3.03.01.0144	二极管座	ABS
3.07.01.0274	FCC/WEEE/ROHS/CE 标签 C/BX191-C	0
4.01.0002	M4*25 十字槽沉头螺钉	0
3.01.01.0112	红点物镜镀膜成品	0
3.03.01.0139	红点压圈	ABS
3.03.01.0140	红点微调手轮	ABS
3.03.01.0176	电位器	0
3.03.01.0138	电位器手轮	ABS
3.03.01.0141	红点电池盖	ABS
3.03.01.0179	红点电池触片(二)	1Gr18Ni9Ti
3.03.01.0177	发光二极管	0
4.01.0005	M4*25 十字槽盘头螺钉/发黑	0



**BUREAU  
VERITAS**

LAB NO. :  
DATE :  
PAGE :

(2421)120-0122  
May 17, 2021  
16 OF 17

3.03.01.0001	红点寻星镜电池 (2032)	0
5.01.03.0621	200*160mm 袋	0
3.03.01.0175	电阻 240 欧	0
5.01.03.0704	绒布 (无字)	0
5.01.03.0618	115*85mm 袋	0
5.01.03.0633	配重杆袋	0
2.01.0718	31035 主镜筒部件	0
3.02.01.0772	ZT071-1 CE76 后镜座 (褐色/CELE 丝印)	ZL102
3.01.01.0067	∅ 20 斜镜 (背面磨砂)	0
5.01.03.0768	BD094-3 SLT80 夹紧块 B (二)	0
3.02.01.0752	ZT071-4 调节手轮	H62
4.01.0122	M5 六角螺母/发黑	0
4.01.0013	M5*18 十字槽半沉头螺钉 (镀铬)	0
5.01.03.0737	CELESTRON 黄色警告吊牌 (BK151)	0
3.02.01.0275	70400 齿轴簧片	弹簧钢片
4.01.0673	M3 六角螺母 (发黑)	0
3.02.01.0732	3TRB-01-16A 物镜压圈	ABS
4.01.0018	M5*14 内六角圆柱头螺钉 (发黑)	0
3.02.01.0299	TJ023-3 100 齿条筒 (∅ 35)	ABS
3.02.01.0496	XJ07-2 寻星镜支架/褐色	ZL102
5.01.03.0641	1100*310 彩袋	0
3.02.01.0005	∅ 50 齿轴	45#
4.01.0005	M4*25 十字槽盘头螺钉/发黑	0
5.01.03.0593	76700 主件内盒隔板/BD055-3 (B 瓦楞)	0
3.02.01.0748	TJ035-3 76 齿轮轴套	45 钢
3.07.01.0032	#31035 型号不干胶	0
3.02.01.0262	76 白海绵 (小)	0
3.03.01.0167	防尘塞-B	0
4.01.0006	ST3*9 十字槽盘头自攻螺钉/镀镍	0
4.01.0011	M4*18 十字槽盘头螺钉 (镀四氟)	0
3.02.01.0751	ZT035-2 CE76 接套	LD31
4.01.0112	M4 六角螺母 (镀四氟)	0
2.04.D.CA0009	ZT027 主物镜 镀膜	0
2.04.C.CA0009- RG	ZT027 主物镜 二光	0
2.04.A.ZT0035	ZT027 粗成品	0
5.01.03.0766	BD094-2 SLT80 夹紧块 B (一)	0
3.02.01.0284	76 大镜衬板	0
3.02.01.0753	ZT071-6 调节压簧	碳素弹簧钢丝
3.02.01.0733	3TRB-01-5B 小反光镜座	ABS





**BUREAU  
VERITAS**

LAB NO. :  
DATE :  
PAGE :

(2421)120-0122  
May 17, 2021  
17 OF 17

3.02.01.0962	M3 罗钉/TJ01-5	25#钢
4.01.0046	ST2.9*9.5 十字槽盘头自攻螺钉/发黑	0
3.02.01.0777	ZT027-3 76 小护盖 (532C)	ABS
4.01.0202	M3*25 十字槽盘头螺钉 (镀铬)	0
4.01.0182	ST3*12 十字槽沉头自攻螺钉 (四氟)	0
3.02.01.0765	TJ033-1 手轮	ABS
3.02.01.0662-1	31035 主镜筒 T0327	0
4.01.0203	M4*7 一十字槽盘头螺钉/镀镍	0
4.01.0085	M3*40 内六角圆柱头螺钉 (全螺纹) 四氟	0
4.01.0087	M4*12 十字槽沉头螺钉 H 型 (四氟)	0
3.02.01.0662	31035 主镜筒 T0327	0
4.01.0203	M4*7 一十字槽盘头螺钉/镀镍	0
3.02.01.0877	ZT069-7 CE70 托板 (橘红色)	6,063
3.02.01.0773	ZT071-3 CE76 前镜框 (褐色)	ABS
3.02.01.0776	ZT027-2 76 大护盖 (532C)	ABS
3.02.01.0778	ZT071-2 CE76 主镜座 (褐色)	ABS
3.02.01.0766	TJ033-2 手轮套	橡胶
3.02.01.0769	TJ035-1 CE76 调焦座 (褐色)	ABS
3.02.01.0770	TJ035-4 齿轮轴架	冷轧板
5.01.03.0196	BD111-2 #31035 脚架内盒	0
3.02.01.0758	TB025-4 CG2 锁紧螺钉	ABS
5.01.03.0214	BD107-6 方块衬板	0
5.01.03.0628	48/58 托架袋 (汽泡袋)	0
3.06.01.0257	三角形起子	0
3.04.01.0113	加大垫圈 (二)	A3
3.04.01.0240	TB025-5 滚花螺钉 (橘色 021C)	ABS
5.01.03.1316	配重块珍珠棉衬块/BD084-6C	0

END