



# TEST REPORT

**BUREAU  
VERITAS**

LAB NO. : (2421)133-0190  
DATE : May 26, 2021  
PAGE : 1 OF 18

Applicant:  
**NINGBO ZHANJING OPTICAL INSTRUMENTS CO.,LTD**  
1 XIONGJIA STREET LANGXIA STREET, YUYAO CITY, ZHEJIANG

Date of Submission: 2021-05-13  
Test Period: 2021-05-13 to 2021-05-26

Sample Description:	Astronomical telescope		
Sample Status :	Intact		
Manufacturer:	/	Buyer:	/
Style No.(s):	21064	PO No.:	/
Country of Origin:	/	Country of Destination:	/

Test Item(s): Details see attached page(s).

## SUMMARY OF THE ASSESSMENT

ASSESSMENT Specification – WEEE Directive 2012/19/EU	
Product Category	Large equipment
*Test reuse and recycling rate (%) / Test recovery rate (%)	100/ 100
*Minimum reuse and recycling rate (%) / Minimum recovery rate (%)	80 / 85
<b>Conclusion: The submitted sample complies with the WEEE directive 2012/19/EU.</b>	

Note: With the client's prior consent ,the above \* was subcontracted test item.

### REMARK

If there are questions or concerns on this report, please contact the following persons:

Customer service

Ms. Una Zhang  
(0574) 87091260  
una.zhang@bureauveritas.com  
Mr. Ben He  
(0574) 87091095  
ben.he@bureauveritas.com

Analytical Lab Manager

**BUREAU VERITAS TESTING TECHNICAL SERVICE (ZHEJIANG) CO.,LTD**



PREPARED BY : \_\_\_\_\_ AMY

\_\_\_\_\_  
Ben He

**Bureau Veritas Testing Technical Service (Zhejiang) Co.,Ltd**  
1F west, 6F east, 7F east, 8F, Building B,  
No.66,Qingyi Road, Ningbo, Zhejiang, China  
Tel:86-574-87091333, Fax:86-574-87971038  
website:cps.bureauveritas.com

This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



**BUREAU  
VERITAS**

LAB NO. : (2421)133-0190  
DATE : May 26, 2021  
PAGE : 2 OF 18

**Photo of the Submitted Sample**



**24211330190**



## TEST RESULT

### 1. General Information:

#### 1.1 Assessment Method:

The sample was disassembled into small parts by using appropriate tools, similar materials of each part were grouped and weighed.

The recovery rate and recycling rate were calculated by the principle of best available technique for recovery, recycling and treatment provided by Cleanaway Dienstleistungs GmbH & Co KG. The disposal percentage is determined based on the European directive 2012/19/EU and 75/442/EEC.

**The material types of the parts are reference to the Bill of Material (BOM) provided by the client.**

**The uncertainty is introduced as to eliminate possible weighting error, rounding up error and other errors.**

**It is computed by the summation of all weighted parts subtracted from the total weight.**

#### 1.2 Disposal and Recovery stated in Waste 75/442/EEC Annex IIA & Annex IIB:

##### 1.2.1 Disposal Operations

- 1.2.1.1 Deposit into or onto land (e.g. landfill, etc.)
- 1.2.1.2 Land treatment (e.g. biodegradation of liquid or sludgy discards in soils, etc.)
- 1.2.1.3 **Deep injection (e.g. injection of pumpable discards into wells, salt domes or naturally occurring repositories, etc.)**
- 1.2.1.4 Surface impoundment (e.g. placement of liquid or sludgy discards into pits, ponds or lagoons, etc.)
- 1.2.1.5 Specially engineered landfill (e.g. placement into lined discrete cells which are capped and isolated from one another and the environment, etc.)
- 1.2.1.6 Release into a water body except seas/oceans
- 1.2.1.7 Release into seas/oceans including sea-bed insertion
- 1.2.1.8 Biological treatment not specified elsewhere in the Annex which results in final compounds or mixtures which are discarded by means of any of the operations numbered 1.2.1.1 to D 1.2.1.12
- 1.2.1.9 Physico-chemical treatment not specified elsewhere in the Annex which results in final compounds or mixtures which are discarded by means of any of the operations numbered 1.2.1.1 to 1.2.1.12 (e.g. evaporation, drying, calcination, etc.)
- 1.2.1.10 Incineration on land
- 1.2.1.11 Incineration at sea
- 1.2.1.12 Permanent storage (e.g. emplacement of containers in a mine, etc.)
- 1.2.1.13 Blending or mixing prior to submission to any of the operations numbered 1.2.1.1 to 1.2.1.12
- 1.2.1.14 Repackaging prior to submission to any of the operations numbered 1.2.1.1 to 1.2.1.13
- 1.2.1.15 Storage pending any of the operations numbered 1.2.1.1 to 1.2.1.14 (excluding temporary storage, pending collection, on the site where it is produced)

##### 1.2.2 Recovery Operations



- 1.2.2.1. Use principally as a fuel or other means to generate energy
- 1.2.2.2. Solvent reclamation/regeneration
- 1.2.2.3. Recycling/reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes)
- 1.2.2.4. Recycling/reclamation of metals and metal compounds
- 1.2.2.5. Recycling/reclamation of other inorganic materials
- 1.2.2.6. Regeneration of acids or bases
- 1.2.2.7. Recovery of components used for pollution abatement
- 1.2.2.8. Recovery of components from catalysts
- 1.2.2.9. Oil re-refining or other reuses of oil
- 1.2.2.10. Land treatment resulting in benefit to agriculture or ecological improvement
- 1.2.2.11. Use of wastes obtained from any of the operations numbered 1.2.2.1 to 1.2.2.10
- 1.2.2.12. Exchange of wastes for submission to any of the operations numbered 1.2.2.1 to 1.2.2.11
- 1.2.2.13. Storage of wastes pending any of the operations numbered 1.2.2.1 to 1.2.2.12 (excluding temporary storage, pending collection, on the site where it is produced)

### **1.3 Recycling and Reuse stated in WEEE, Article 3**

#### 1.3.1 Recycling Operation

**“Recycling” means the reprocessing in a production process of the waste materials for the original purpose or for other purposes, but excluding energy recovery which means the use of combustible waste as a means of generating energy through direct incineration with or without other waste but with recovery of the heat.**

#### 1.3.2 Reuse Operation

**“Reuse” means any operation by which WEEE or components thereof are used for the same purpose for which they were conceived, including the continued use of the equipment or components thereof which are returned to collection points, distributors, recyclers or manufacturers.**

### **1.4 Categories of EEE stated in WEEE Annex I:**

- 1.4.1. Temperature exchange equipment
- 1.4.2. Screen, monitors, and equipment screens having a surface greater than 100 cm<sup>2</sup>
- 1.4.3. Lamps
- 1.4.4. Large equipment (any external dimension more than 50 cm)
- 1.4.5. Small equipment (no external dimension more than 50 cm)
- 1.4.6. Small IT and telecommunication equipment (no external dimension more than 50 cm)



### **1.5 List of Abbreviations**

Unless specified, the following abbreviations are used through out this assessment report:

IT: Information technology

WEEE: DIRECTIVE 2012/19/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on waste electrical and electronic equipment (WEEE) (recast)

RoHS: DIRECTIVE 2011/65/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (recast)

EEE: Electrical and Electronic Equipment defined under 2012/19/EU, WEEE

PC: Polycarbonate

LED: Light Emitting Device

PCB: Printed Circuit Board

PES: Polyester

IC: Integrated Circuit

NA: Not Applicable

### **1.6 Selective treatment for materials and components of waste electrical and electronic equipment in accordance with WEEE, Article 6 (1), Treatment**

**As a minimum the following substances, preparations and components have to be removed from any separately collected WEEE:**

- 1.6.1. Polychlorinated biphenyls (PCB) containing capacitors in accordance with Council Directive 96/59/EC of 16 September 1996 on the disposal of polychlorinated biphenyls and polychlorinated terphenyls (PCB/PCT) (1),
- 1.6.2. Mercury containing components, such as switches or backlighting lamps,
- 1.6.3. Batteries,
- 1.6.4. Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimetres,
- 1.6.5. Toner cartridges, liquid and pasty, as well as colour toner,
- 1.6.6. Plastic containing brominated flame retardants,
- 1.6.7. Asbestos waste and components which contain asbestos,
- 1.6.8. Cathode ray tubes,
- 1.6.9. Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC), hydrocarbons (HC),



- 1.6.10. Gas discharge lamps,
- 1.6.11. Liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimeters and all those back-lighted with gas discharge lamps,
- 1.6.12. External electric cables,
- 1.6.13. Components containing refractory ceramic fibres as described in Commission Directive 97/69/EC of 5 December 1997 adapting to technical progress Council Directive 67/548/EEC relating to the classification, packaging and labelling of dangerous substances (2),
- 1.6.14. Components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionising radiation (3),
- 1.6.15. Electrolyte capacitors containing substances of concern (height > 25 mm, diameter > 25 mm or proportionately similar volume)

These substances, preparations and components shall be disposed of or recovered in compliance with Article 4 of Council Directive 75/442/EEC.

1.6.2 The following components of WEEE that is separately collected have to be treated as indicated:

- 1.6.2.1 Cathode ray tubes: The fluorescent coating has to be removed,
- 1.6.2.2 Equipment containing gases that are ozone depleting or have a global warming potential (GWP) above 15, such as those contained in foams and refrigeration circuits: the gases must be properly extracted and properly treated. Ozone-depleting gases must be treated in accordance with Regulation (EC) No 2037/2000 of the European Parliament and of the Council of 29 June 2000 on substances that deplete the ozone layer (4).
- 1.6.2.3 Gas discharge lamps: The mercury shall be removed.



## 2. ASSESSMENT SUMMARY


### 2.1 Assessment Summary Table

No.	Description of the sub-assessable	Weight (g)	Weight (%)	Reuse	Recycling	Energy Recovery	Disposal
1	Silvery metal with blue coating	887	8.0		X		
2	Silvery metal	1410	12.8		X		
3	Silvery metal with grey coating	6896	62.4		X		
4	Silvery metal with orange plating	149	1.3		X		
5	Grey plastic	898	8.1		X		
6	Black plastic	296	2.7		X		
7	White plastic with silvery coating	76	0.7		X		
8	Transparent glass	240	2.2		X		
9	Transparent plastic	16	0.1			X	
10	Translucent plastic	16	0.1		X		X
11	Black plastic	3	0.0		X		X
12	Colorful paper	138	1.2		X		
13	Silvery plastic	15	0.1			X	
14	Black plastic	4	0.0			X	
<b>Total</b>		<b>11044.00</b>	<b>99.7</b>				
Total disassembly time (min)		30					
Disassembly tools		Screwdriver, Pliers					

### 2.2 Conclusion

Product Category Large equipment		
	Actual (%)	Request (%)
Reuse and recycling rate	100	80
Recovery rate	100	85

### 2.3 Recommended Disassembly Sequence



### 3. Assessment Results of the sub-assembly

#### 3.1 Individual Part 1



Assessed part	Part No.	Material	Weight (g)	Weight (%)	Reuse	Recycling	Energy Recovery	Disposal
1 Silvery metal with grey coating		Metal	887	8.0		X		
2 Silvery metal		Metal	1410	12.8		X		
3 Silvery metal with grey coating		Metal	6896	62.4		X		
4 Silvery metal with orange plating		Metal	149	1.3		X		
5 Grey plastic		Known plastic	898	8.1		X		

3.1 Individual Part 1

6



7



8



9



10



Assessed part	Part No.	Material	Weight (g)	Weight (%)	Reuse	Recycling	Energy Recovery	Disposal
6 Black plastic		Known plastic	296	2.7		X		
7 White plastic with silvery coating		Known plastic	76	0.7		X		
8 Transparent glass		Glass without HS	240	2.2		X		
9 Transparent plastic		Rubber	16	0.1			X	
10 Translucent plastic		PVC	16	0.1		X		X



3.1 Individual Part 1

11



12



13



14



Assessed part	Part No.	Material	Weight (g)	Weight (%)	Reuse	Recycling	Energy Recovery	Disposal
11 Black plastic		PVC	3	0.0		X		X
12 Colorful paper		Paper	138	1.2		X		
13 Silvery plastic		Unknown plastic	15	0.1			X	
14 Black plastic		Rubber	4	0.0			X	
<b>Total</b>			<b>11044.00</b>	<b>100.0</b>	0.0%	99.5%	0.3%	0.1%

<b>Disassembly Time (min)</b>	30	<b>Disassembly Tools</b>	Screwdriver Pliers
-------------------------------	----	--------------------------	-----------------------



**BUREAU  
VERITAS**

LAB NO. : (2421)133-0190  
DATE : May 26, 2021  
PAGE : 12 OF 18

## 4. Appendix

### 4.1 Bill of Material

子项物料编码	物料名称	材料
1. 01. 01. 0875	22460	0
3. 06. 01. 0257	三角形起子	0
3. 06. 01. 0428	StarSense Explorer 系列 LT & DX 的专用 APP 解锁卡编 码	0
2. 01. 0031	红点寻星镜	0
3. 03. 01. 0181	40MM 段线(黑色)	0
3. 03. 01. 0182	75MM 段线(黑色)	0
3. 03. 01. 0137	二极管压块	ABS
3. 03. 01. 0143	红点固定片(二)	ABS
3. 03. 01. 0061	红点镜筒	ABS
4. 01. 0004	M4*28 十字槽圆柱头螺钉/发黑	0
3. 03. 01. 0180	红点光栏	0
3. 03. 01. 0196	红点绝缘片	0
3. 03. 01. 0142	红点固定片(一)	ABS
4. 01. 0017	M1. 7*4 十字槽盘头螺钉(镀四氟)	0
3. 03. 01. 0060	红点镜筒座	ABS
3. 03. 01. 0178	红点电池触片(一)	黄铜皮
3. 03. 01. 0144	二极管座	ABS
3. 07. 01. 0274	FCC/WEEE/ROHS/CE 标签 C/BX191-C	0
4. 01. 0002	M4*25 十字槽沉头螺钉	0
3. 01. 01. 0112	红点物镜镀膜成品	0
3. 03. 01. 0139	红点压圈	ABS
3. 03. 01. 0140	红点微调手轮	ABS
3. 03. 01. 0176	电位器	0
3. 03. 01. 0138	电位器手轮	ABS
3. 03. 01. 0141	红点电池盖	ABS
3. 03. 01. 0179	红点电池触片(二)	1Gr18Ni9Ti
3. 03. 01. 0177	发光二极管	0
4. 01. 0005	M4*25 十字槽盘头螺钉/发黑	0
3. 03. 01. 0001	红点寻星镜电池(2032)	0
5. 01. 03. 0621	200*160mm 袋	0
3. 03. 01. 0175	电阻 240 欧	0
5. 01. 03. 1235	22460 主件盒/BD178-20	0
5. 01. 03. 1237	22460 附件盒/BD178-22	0
5. 01. 03. 0662	345*230mm 封口袋	0



LAB NO. : (2421)133-0190  
DATE : May 26, 2021  
PAGE : 13 OF 18

BUREAU  
VERITAS

2. 01. 1168	SM 托架 (黑色沙面塑)	0
3. 04. 01. 0973	TB053-6 上微调板	ZL102
4. 01. 0717	M4*8 十字槽沉头螺钉/镍	0
4. 01. 0719	M4*8 内六角锥端紧定螺钉/发黑 12.9 级	0
2. 01. 1458	TB053-13 蜗杆	POM
3. 04. 01. 1188	TB053-13-1 蜗杆嵌件	45#
3. 04. 01. 0409	TB053-18 垫片	POM
4. 01. 0714	M6*6 内六角锥端紧定螺钉/发黑 12.9 级	0
4. 01. 0715	M3.5*8 十字槽盘头螺钉/镍	0
3. 04. 01. 1183	TB053A-9 对角盖板	ABS
3. 04. 01. 0369	TB053-14 旋转轴	45#
3. 04. 01. 1187	TB053A-13 弹簧	65Mn
3. 04. 01. 1174	TB053-2 盖板(021C 橘色)	ABS
4. 01. 0711	M3*3 十字槽沉头螺钉/发黑	0
4. 01. 0718	φ 3 垫片/镍	0
3. 04. 01. 1176	TB053A-5 标牌	拉丝铝板
3. 04. 01. 1172	TB053-12 下侧支臂 (黑色沙面塑)	ZL102
4. 01. 0416	M4*6 内六角凹端紧定螺钉/发黑 12.9 级	0
4. 01. 0333	φ 10 平垫圈 (镀锌)	0
4. 01. 0713	M3*5 十字槽盘头螺钉/镍	0
3. 04. 01. 1186	TB053A-10 旋转轴	钢#25
3. 04. 01. 1184	TB053A-11 装饰板	ABS
4. 01. 0334	M10 六角螺母 (薄镀锌)	0
3. 04. 01. 1185	TB053A-6 调节帽	不锈钢
3. 04. 01. 1170	TB053A-15-1S 托座 (黑色沙面塑)	ZL102
3. 04. 01. 1171	TB053A-14 上侧支臂 (黑色沙面塑)	ZL102
3. 04. 01. 1173	TB053-5 托架底座 (黑色沙面塑)	ZL102
3. 04. 01. 0749	TB053-01 SM 软轴组件一	ABS/PVC/钢丝/钢 25
3. 04. 01. 0370	TB053-16 摩擦垫片	无石棉
3. 04. 01. 0974	TB053-7 上固定微调座	ZL102
3. 04. 01. 1181	TB053A-7 固定板	尼龙
4. 01. 0338	M2 内六角扳手/发黑 (33mm)	0
3. 04. 01. 0975	TB053-10 下微调板	ZL102
3. 04. 01. 1177	TB053A-3 定位销	6063
3. 04. 01. 0365	TB053-8 上调微调盖	ABS
3. 04. 01. 0410	LCM-3 蜗轮	POM
3. 04. 01. 0367	TB053-15 下侧微调盖	ABS
4. 01. 0716	M3 六角螺母/镍	0
3. 04. 01. 1175	TB053A-2 对角螺帽	ZL102



LAB NO. : (2421)133-0190  
DATE : May 26, 2021  
PAGE : 14 OF 18

BUREAU  
VERITAS

3.04.01.0750	TB053-02 SM 软轴组件二	ABS/PVC/钢丝/钢 25
3.04.01.0366	TB053-9 装饰盖 2	ABS
3.04.01.1182	TB053A-8 盖板	ABS
3.04.01.0976	TB053-11 下固定微调座	ZL102
3.04.01.1180	TB053A-4 装饰盖	ABS
4.01.0258	φ 10 垫圈(薄)	0
4.01.0335	M6*16 内六角花型沉头螺钉/发黑	0
4.01.0009	M3*6 十字槽盘头螺钉/发黑	0
4.01.0291	M10 六角薄螺母/镀镍	0
3.04.01.1291	φ 22x φ 10.5x2.6 垫片	0
3.04.01.0662	TB053-19 22149 锁紧手轮	ABS
4.01.0988	M3*6 内六角圆柱头螺钉/发黑 (12.9 级)	0
4.01.0989	M3*8 内六角圆柱头螺钉/发黑 (12.9 级)	0
4.01.0173	M3*8 十字槽盘头螺钉 (发黑)	0
3.04.01.0210	911-02-36 尼龙垫片	尼龙
5.01.03.0312	BD114-7 #31045 主件夹块	0
2.01.0498	CELESTRON25 目镜/Super25-D00-4-3S	0
3.03.01.0263	SUPER25-D00-6 压圈	ABS
3.03.01.0186	防尘盖 (一)	0
3.03.01.0264	SUPER25-D00-5 隔圈	ABS
3.03.01.0419	H20 (K) -0-3 目镜套筒 (无光漆)	ABS
5.01.03.0620	150*90mm 袋	0
3.01.01.0102	SUPER25 目镜胶合	0
3.03.01.0183	防尘盖 (二) 317	0
3.03.01.0165	MA 目镜眼罩	橡胶
3.03.01.0519	CELESTRON 25 目镜座 (SUPER25-D00-4-3S)	ABS
3.01.01.0101	SUPER25-D00-3 目镜 03	0
5.01.01.0384	22460 专用彩盒	0
3.06.01.0027	CELESTRON UK 注册卡	0
3.06.01.0530	22460 快速安装说明书	0
5.01.03.0704	绒布 (无字)	0
5.01.03.1241	22460 附件盒隔板/BD178-26	0
2.01.0295	FS05 正像棱镜 (黑色)	0
4.01.0483	ST2.5*8 十字槽半沉头自攻螺钉 (镀镍)	0
3.03.01.0369	FS05-2 正像棱镜罩	ABS
3.03.01.0167	防尘塞-B	0
3.03.01.0183	防尘盖 (二) 317	0
3.01.01.0099	FS05-1 直角屋脊棱镜	K9
3.02.01.0962	M3 罗钉/TJ01-5	25#钢



LAB NO. : (2421)133-0190  
DATE : May 26, 2021  
PAGE : 15 OF 18

**BUREAU  
VERITAS**

3. 03. 01. 0368	FS05-3 正像棱镜固定板	ZL102
5. 01. 03. 0621	200*160mm 袋	0
4. 01. 0488	ST2. 2*8 十字槽半沉头自攻螺钉 ( 锌 )	0
3. 03. 01. 0390	FS05-5 正像棱镜盖 ( 黑色 )	ABS
3. 03. 01. 0372	FS05-6 目镜镜筒	LD31
3. 03. 01. 0389	FS05-4 正像棱镜座 ( 黑色 )	ABS
5. 01. 03. 0618	115*85mm 袋	0
2. 01. 1142	手机支架/SBK8000A	0
3. 04. 01. 0769	SPC107 垂直齿条	H62
3. 04. 01. 0719	SBK811 支架座	ABS
3. 04. 01. 0706	SKB206 调节手轮 1	增强尼龙
3. 04. 01. 0708	SBK201 传动套杆	6063
3. 04. 01. 0710	SBK210 压条	增强尼龙
3. 04. 01. 0797	SPC319 标牌 2	镍
3. 04. 01. 1178	TB053A-1-1S 连接套	ABS
3. 04. 01. 0790	SPC201 传动套杆座	增强尼龙
3. 04. 01. 0717	SBK818 手机橡胶垫	橡胶
3. 04. 01. 0718	SBK813 支架	ABS
4. 01. 0038	ST2. 9*8 十字槽盘头自攻螺钉 ( 平端 ) 发黑	0
3. 04. 01. 0770	SPC204 压圈	LD30
3. 04. 01. 0713	SBK102 固定卡块	增强尼龙
3. 04. 01. 0722	SBK815 水平齿条	H62
3. 04. 01. 0711	SPC203X2 双轴调节旋钮底座	增强尼龙
3. 04. 01. 0720	SBK810 支架盖	ABS
4. 01. 0219	ST3*6 十字槽盘头自攻螺钉/发黑	0
4. 01. 0789	ST2. 6*7 十字槽沉头自攻螺钉/发黑	0
3. 04. 01. 0714	SBK104 活动卡块	增强尼龙
5. 01. 03. 0644	675 托架袋 ( 大发泡 )	0
3. 04. 01. 0712	SPC207X1 锁紧件	增强尼龙
3. 04. 01. 0707	SKB202 调节手轮 2	ABS
4. 01. 0168	ST4*16 十字槽盘头自攻螺钉 ( 发黑 )	0
3. 04. 01. 0780	SPC105 拉簧	琴钢丝
4. 01. 0118	ST3*8 十字槽盘头自攻螺钉/发黑	0
4. 01. 0801	M2*10 十字槽盘头螺钉	0
3. 04. 01. 0709	SBK205 齿轴	H62
3. 04. 01. 1179	TB053A-12 连接杆	ABS
3. 02. 02. 0023	WD8008-03-9 垫片	POM
3. 04. 01. 0715	SBK814 手机底板	增强尼龙
3. 04. 01. 0716	SPC106X2 手机底部卡块	增强尼龙
3. 07. 01. 0475	CELESTRON 美国专利标签/BK376-B	0



**BUREAU  
VERITAS**

4. 01. 0098	M4*10 十字槽半沉头螺钉 (镍)	0
2. 04. A. ZT0553	SBK819 镀膜成品	0
3. 05. 01. 0408	TB015-01-3 连接柱垫片	尼龙
4. 01. 0718	φ 3 垫片/镍	0
4. 01. 0797	M2. 5*8 十字槽盘头螺钉	0
3. 04. 01. 0123	蜗杆垫圈	尼龙
2. 01. 1127	LJ1 铝脚组 (黑色沙面塑)	0
3. 05. 01. 0405	TB014-01-2 垫圈	0
3. 05. 01. 0442	LJ1-0-9R 右支承座 (大孔)	ZL102
3. 05. 01. 0452	LJ1-0-16 脚套	橡胶
3. 05. 01. 0444	LJ1-0-9L 左支承座 (小孔)	ZL102
5. 01. 03. 0671	560*1050mm 气泡袋	0
2. 01. 1482	LJ1 活动脚杆 (黑色沙面塑)	ZL102
3. 05. 01. 0027	LJ1-0-4A 活动脚杆 (毛坯)	LF21
3. 05. 01. 0437	LJ1-0-1A 尼龙接头	ABS
3. 05. 01. 0441	LJ1-0-8A 尼龙杆脚	ABS
3. 05. 01. 0438	LJ1-0-2A 塞子	ABS
3. 05. 01. 0450	LJ1-0-14 侧杆塞子	ABS
3. 05. 01. 0493	M8 二角手轮	0
4. 01. 0444	GB818-85 M4*25 螺栓 (镀镍)	0
4. 01. 0362	φ 4*10 封闭型扁圆头抽芯铆钉	0
3. 05. 01. 0446	LJ1-0-10 三角铰连板	ABS
4. 01. 0433	M4 六角锁紧螺母 (镀镍)	0
3. 05. 01. 0406	TB014-01-3 拼紧手轮	ABS
4. 01. 0435	M8*75 六角螺栓 (镀黑锌)	0
4. 01. 0436	φ 8 垫圈 (镀黑锌)	0
4. 01. 0439	M8*40 六角螺栓 (镀镍)	0
5. 01. 03. 0657	900*600mm 大泡纸	0
2. 01. 1480	LJ1 左侧脚杆 (黑色沙面塑)	LF21
3. 05. 01. 0026	LJ1-0-5 左侧脚杆 (毛坯)	LF21
3. 05. 01. 0448	LJ1-0-12 三角配件盘 (镀四氟)	钢板 08F
3. 05. 01. 0439	LJ1-0-6A 脚架套箍	ABS
3. 05. 01. 0440	LJ1-0-7 拼紧螺母	ABS
4. 01. 0438	ST3*9. 5 十字槽盘头自攻螺钉 (镀镍)	0
3. 05. 01. 0447	LJ1-0-11 脚架连杆	ABS
4. 01. 0364	ST4*9 十字槽盘头自攻螺钉 (镀镍)	0
4. 01. 0440	M8 六角螺母 (镀镍)	0
3. 05. 01. 0451	LJ1-0-15 连接螺钉 (镀镍)	钢 45
4. 01. 0259	φ 4 垫圈 (镀铬)	0
5. 01. 03. 0664	400*320mm 尼龙袋 (BF072)	0



**BUREAU  
 VERITAS**

3.05.01.0449	LJ1-0-13 碟形螺钉 (镀镍)	钢 A3
4.01.0366	M6 六角薄螺母 (镀四氟)	0
2.01.1481	LJ1 右侧脚杆 (黑色沙面塑)	LF21
3.05.01.0025	LJ1-0-3 右侧脚杆 (毛坯)	LF21
3.06.01.0427	StarSense Explorer 系列 LT & DX 的专用 APP 解锁卡	0
3.03.01.0230	HX-D00-01A 无孔座	ABS
2.01.0388	CELESTRON 10 目镜	0
3.01.01.0092	1B 目镜	0
3.03.01.0531	目镜镜筒-B (铝双色氧化)	H62
3.03.01.0165	MA 目镜眼罩	橡胶
3.03.01.0575	MA10 目镜座 (MJ30-1-5S) CELE10	ABS
3.03.01.0067	K10 目镜压圈	ABS
3.03.01.0106	目镜盒-D	0
3.01.01.0091	1B 场镜	0
3.03.01.0787	1B 目镜隔圈	LD30
3.03.01.0062	1.25 目镜盒盖-D	软聚录乙烯
2.01.1316	22460 主镜筒部件 ZT091A/T01193	0
3.02.01.1079	JZ017-2 遮光筒/闪光银色/T01193	ABS
3.02.01.0341	80S-0-14 衬板	尼龙
3.02.01.0082	ZW044-1 压圈	6063
3.02.01.0031	120S-0-11 螺圈	0
5.01.03.0737	CELESTRON 黄色警告吊牌 (BK151)	0
2.04.D.CL0033-DM-X	TW102 物镜 01 新膜系	0
2.04.C.CL0033-RG	TW102 物镜 01 二光	0
2.04.B.CL0033-JM	TW102 物镜 01 精磨边	0
2.04.C.CL0033-JP	TW102 物镜 01 精磨片	0
2.04.A.ZT0363	TW102 物镜 01 粗成品	0
3.08.01.ZX0340	TW102 物镜 01 (HK9)	0
2.04.D.CL0034-DM-X	TW102 物镜 02 新膜系	0
2.04.C.CL0034-RG	TW102 物镜 02 二光	0
2.04.B.CL0034-JM	TW102 物镜 02 精磨边	0
2.04.C.CL0034-JP	TW102 物镜 02 精磨片	0
2.04.A.ZT0364	TW102 物镜 02 粗成品	0
3.08.01.ZX0341	TW102 物镜 02 (F4)	0
3.02.01.0348	80S-0-37 簧片	65Mn
4.01.0210	M2*6 十字槽盘头螺钉/发黑	0
3.02.01.0030	120S-0-12 接头	0
3.02.01.0446	80SS (F) -A00-10 手轮套	橡胶
3.02.01.0033	102SS (R) -A00-10 调焦齿条	ABS
3.02.01.0896	ZT069-7 CE70 托板 (黑色氧化)	6063



LAB NO. : (2421)133-0190  
DATE : May 26, 2021  
PAGE : 18 OF 18

**BUREAU  
VERITAS**

3.02.01.0443	80SS (F) -A00-12 调焦齿轮	H62
3.02.01.1888	22460 主镜筒 ZT091A-7-4S/T01193	LD31
3.02.01.0035	120S-0-9 齿条筒	ABS
3.02.01.0351	80S-0-17 M4 制紧螺钉	铜棒
3.02.01.2070	102-0-4 调焦座 (黑塑)	ZL102
5.01.03.0648	340*1200mm 袋	0
3.02.01.1796	SBK301 102 物镜装饰圈	ABS
3.03.01.0262	MC90B-A00-28 目镜盖	ABS
3.02.01.1925	ZW044-2 物镜座/喷黑色沙面塑	6063
3.02.01.0340	80S-0-13 齿轮压板	A3
4.01.0173	M3*8 十字槽盘头螺钉 (发黑)	0
4.01.0172	M2*6 十字槽沉头螺钉 (镀镍)	0
3.02.01.1793	120SB-A00-7 手轮	6061
3.02.01.0346	80S-0-18 M6 制紧螺钉	铜棒
3.02.01.0473	120S-0-8 滚花小头螺钉	A3
3.02.01.0083	102S-0-13 102 镜盖	0
3.02.01.0029	120S-0-10 目镜座	0
4.01.0174	M3*6 内六角凹端紧定螺钉 (发黑)	0
4.01.0091	M4*8 十字槽盘头螺钉 (发黑)	0
3.02.01.0963	M4 罗钉	25#钢
5.01.02.0541	318#-B 卡通箱/BA293-B	0
3.06.01.0175	CELESTRON 插页	0
5.01.03.1281	手机支架抽绳袋/QT052-3B	0
5.01.03.1236	22460 脚架盒/BD178-21	0
3.06.01.0182	CELESTRON 基础版本下载卡	0
3.06.01.0183	CELESTRON 基础版本下载卡编码	0
5.01.03.0130	LJ1 三角盘围衬	0
5.01.03.0214	BD107-6 方块衬板	0

END